



**LEED Specification Sheet
for New Construction and Major Renovation**

April 16, 2019

To Whom It May Concern:

This letter has been sent to verify the VOC content of Tower Sealants AU-1 Commercial Construction Sealant. The current VOC content of this product is 23g/L. Accordingly, the VOC content of AU-1 Commercial Construction Sealant is less than the current VOC content limits of California's South Coast Air Quality Management District (SCAQMD) Rule #1168.

Tower Sealants AU-1 complies with the California Air Resource Board (CARB) Consumer Products Regulations. The AU-1 Commercial Construction Sealant is a Non-Chemically Curing Sealant and has a VOC content of less than 1.5% by weight as defined by CARB.

Tower Sealants AU-1 Commercial Construction Sealant is eligible for the U.S. Green Building Council LEED 2009 Green Building Rating System for New Construction & Major Renovations EQ credit 4.1. This statement is based on the Tower Sealants product referenced above and the formulation of the product and the regulations in place according to the date of this letter.

For the use of this product, you could be contributing up to one point under the Indoor Environmental Quality Rating System.

Please use this letter for specification purposes and call 1-866-897-7568 with any further questions.

For a copy of the SDS or TDS, please visit www.towersealants.com.

Sincerely,

A handwritten signature in black ink, appearing to be "R. J. ...", written over a white background.

Vice President Marketing
Tower Sealants